Refine Search

## Search Results -

Terms	Documents
5864679.pn.	2

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:
L83

[Refine Search]

[Recall Text]   [Clear]   [Interrupt]

Search History

DATE: Tuesday, March 13, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L83	5864679.pn.	2	L83
L82	default near2 server and L81	6	L82
L81	@pd<20011029 and L80	98	L81
L80	l78 and L79	698	L80
L79	((locat$3 or choos$3 or load near balanc$3 or load near manage$6 or select$3) near server).ab,ti.	4887	L79
L78	l56 or L77	108184	L78
L77	718/104,105.ccls.	2084	L77
L76	@pd<20011029 and L75	134	L76
L75	(choos$3 or load near balanc$3 or load near manage$6 or select$3) near server and L74	1182	L75
L74	default with server	7763	L74
L73	transaction and L72	114	L73

L72	L56 and L71	226	L72
L71	@pd<20011029 and L70	391	L71
L70	(choos$3 or load near balanc$3 or load near manage$6 or select$3) near server and default	3256	L70
L69	@pd<20011029 and default adj server	54	L69
L68	@pd<20011029 and L67	21	L68
L67	default near server and (new near (transaction or request or message))	139	L67
L66	default near server with new	38	L66
L65	L64 and (load near balanc$3 or work$1load)	18	L65
L64	periodically with updat$3 with (server or rout$3) near table	198	L64
L63	periodically with updat$3 near table with transaction	2	L63
L62	L56 and L61	19	L62
L61	L60 and (load near balanc$3 or work$1load)	82	L61
L60	updat$3 near table with transaction	413	L60
L59	L56 and L58	37	L59
L58	(rout$3 near transaction).ab,ti.	248	L58
L57	L50 and L56	41	L57
L56	L51 or L52 or L53 or L54 or L55	106977	L56
L55	(707/1 |707/2 |707/3 |707/4 |707/5 |707/6 |707/7 |707/8 |707/9 |707/10).ccls.	24769	L55
L54	(710/1 |710/2 |710/3 |710/4 |710/5 |710/6 |710/7 |710/8 |710/9 |710/10 |710/11 |710/12 |710/13 |710/14 |710/15 |710/16 |710/17 |710/18 |710/19 |710/20 |710/21 |710/22 |710/23 |710/24 |710/25 |710/26 |710/27 |710/28 |710/29 |710/30 |710/31 |710/32 |710/33 |710/34 |710/35 |710/36 |710/37 |710/38 |710/39 |710/40 |710/41 |710/42 |710/43 |710/44 |710/45 |710/46 |710/47 |710/48 |710/49 |710/50 |710/51 |710/52 |710/53 |710/54 |710/55 |710/56 |710/57 |710/58 |710/59 |710/60 |710/61 |710/62 |710/63 |710/64 |710/65 |710/66 |710/67 |710/68 |710/69 |710/70 |710/71 |710/72 |710/73 |710/74).ccls.	17319	L54
L53	(714/1 |714/2 |714/3 |714/4 |714/5 |714/6 |714/7 |714/8 |714/9 |714/10 |714/11 |714/12 |714/13 |714/14 |714/15 |714/16 |714/17 |714/18 |714/19 |714/20 |714/21 |714/22 |714/23 |714/24 |714/25 |714/26 |714/27 |714/28 |714/29 |714/30 |714/31 |714/32 |714/33 |714/34 |714/35 |714/36 |714/37 |714/38 |714/39 |714/40 |714/41 |714/42 |714/43 |714/44 |714/45 |714/46 |714/47 |714/48 |714/49 |714/50 |714/51 |714/52 |714/53 |714/54 |714/55 |714/56 |714/57).ccls.	21426	L53
L52	(719/311).ccls.	163	L52
L51	(709/201 |709/202 |709/203 |709/204 |709/205 |709/206 |709/207 |709/208 |709/209 |709/210 |709/211 |709/212 |709/213 |709/214 |709/215 |709/216 |709/217 |709/218 |709/219 |709/220 |709/221 |709/222 |709/223 |709/224 |709/225 |709/226 |709/227 |709/228 |709/229 |709/230 |709/231 |709/232 |709/233 |709/234 |709/235 |709/236 |709/237 |709/238 |709/239 |709/240 |709/241 |709/242 |709/243 |709/244 |709/245 |709/246 |709/247 |709/248 |709/249 |709/250).ccls.	51311	L51
L50	(load near balanc$3 or work$1load) and L49	103	L50
L49	transaction and L48	500	L49
L48	updat$3 near (server or rout$3) near table	1939	L48
L47	@pd<20011029 and L46	23	L47

L46	((routing near transaction) and load near balanc$3)	128	L46
L45	((routing near transaction) and ((choos$3 or select$3) near server))	31	L45
L44	((routing near transaction) with ((choos$3 or select$3) near server))	0	L44
L43	(workload or load$1balanc$) and L41	95	L43
L42	@pd<2001029 and L41	0	L42
L41	(select$3 or choos$3) near (processor or server) with transaction	408	L41
L40	@pd<20011029 and L39	12	L40
L39	(workload or load$1balanc$) and L38	101	L39
L38	L36 and L37	498	L38
L37	(select$3 or choos$3) near (processor or server)	26972	L37
L36	transaction near type	11266	L36
L35	@pd<20011029 and L34	7	L35
L34	workload and load$1balanc$3 and L33	129	L34
L33	(select$3 or choos$3) near (processor or server) and transaction	6061	L33
L32	workload and L30	53	L32
L31	load$1balanc$3 and L30	11	L31
L30	@pd<20011029 and L29	504	L30
L29	rout$3 near transaction	2161	L29
L28	(assign$6 or determin$3) near server and L27	92	L28
L27	(work$1load or load near balanc$3) and L25	190	L27
L26	load near balanc$3 and L25	162	L26
L25	default near server	742	L25
L24	message near (pass$3 or deliver$3) and L23	98	L24
L23	header and (payload or body) and L22	204	L23
L22	event adj channel	1829	L22
L21	(choos$3 or select$3) near default near server	32	L21
L20	transaction with default near server	11	L20
L19	transaction and L18	60	L19
L18	(load near balanc$3 or work$1load) near table	203	L18
L17	(715/733 |715/738).ccls.	1038	L17
L16	new near (request or transaction) with (choos$3 or load near balanc$3 or load near manage$6 or select$3) near server	43	L16
L15	new near transaction with (choos$3 or load near balanc$3 or load near manage$6 or select$3) near server	2	L15
L14	new near transaction with (choos$3 or load near balanc$3 or load near manage$6) near server	2	L14
L13	new near transaction with default near server	0	L13
L12	(transmi$4 or transfer$$ or rout$3) near transaction with default near server	0	L12
L11	(choos$3 or load near balanc$3 or load near manage$6) with default near server	25	L11
L10	@pd<20011029 and L9	8	L10
L9	L7 and L8	119	L9
L8	(choos$3 or load near balanc$3 or load near manage$6) near2 server	5019	L8

L7	(transmi$4 or transfer$$ or rout$3) near transaction	10127	L7
L6	@pd<20011029 and L5	57	L6
L5	(select$3 or choos$3 or rout$3 or find$3 or ((unknown or new) near (request or message or transaction))) near2 server and default near server	432	L5
L4	@pd<20011029 and default near server and load near balanc$3	11	L4
L3	@pd<20011029 and L2	12	L3
L2	(select$3 or choos$3 or rout$3 or find$3 or ((unknown or new) near (request or message or transaction))) with default near server	112	L2
L1	6092178.pn.	2	L1

END OF SEARCH HISTORY